

Issuing date 03-Jan-2012

Revision Date 06-Nov-2014

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Cynamic Break Out

Other means of identification

Product Code X000437
Document 000437CP45

Recommended use of the chemical and restrictions on use

Recommended use Enzyme Detergent Oxygen Bleach

Details of the supplier of the safety data sheet

Distributor

Cynamic Chemical
1472 Louis Bork Drive
Batavia, IL 60510

Emergency telephone number

24 Hour Emergency Phone Number INFOTRAC: 1-800-535-5053 (NORTH AMERICA)

Company Phone Number: 630-761-8770

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Oxidizing solids	Category 3

Label elements

Emergency Overview

Danger

Hazard Statements

Causes severe skin burns and eye damage
May intensify fire; Oxidizer



Appearance Opaque Powder

Physical state Powder

Odor Citrus

Precautionary Statements - Prevention

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Keep away from heat/sparks/open flames/hot surfaces. — No smoking
- Keep/Store away from clothing/combustible materials
- Take any precaution to avoid mixing with combustibles

Precautionary Statements - Response

- Immediately call a POISON CENTER or doctor/physician

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

- May be harmful if swallowed
 - Harmful to aquatic life with long lasting effects
- Unknown Acute Toxicity 7.085% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Sodium carbonate	497-19-8	40% - 50%	*
Pentasodium triphosphate	7758-29-4	6% - 18%	*
Sodium metasilicate	6834-92-0	1% - 10%	*
Calcium silicate	1344-95-2	1.23	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

- General advice** Show this safety data sheet to the doctor in attendance.
- Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- Skin contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. If skin irritation persists, see a physician.

Inhalation If irritation develops or difficulty in breathing remove victim to fresh air. Call physician immediately if irritation persists.

Ingestion DO NOT induce vomiting. Give large amounts of water if victim is conscious. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of First-aiders Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2 and/or in section 11.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Hazardous Combustion Products Hydrogen gas in contact with some metals.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Wear protective gloves/clothing and eye/face protection.

Environmental precautions

Environmental precautions Keep out of waterways. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Neutralize with mild acid. Flush neutralized solution to sewer with plenty of water.

Methods for cleaning up Sweep up and flush area with water. Caution: Wet floors may be slippery when material is present. Avoid production of dust.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Wash thoroughly after work using soap and water. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep tightly closed in a dry and cool place. Store away from strong acids, aluminum, and other reactive metals. Keep out of the reach of children.

Incompatible products Strong acids. Strong reducing agents. Combustible materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Pentasodium triphosphate 7758-29-4	-	15mg/m ³	-
Sodium metasilicate 6834-92-0	-	2mg/m ³	-
Calcium silicate 1344-95-2	TWA: 10 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica synthetic nonfibrous	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust

NIOSH IDLH: Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Ensure that eyewash stations and safety showers or an equivalent method of decontamination are close to the work location. Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment

Eye/Face Protection Splash-proof chemical goggles or face shield.

Skin and body protection Impervious rubber gloves and apron.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state	Powder	Odor	Citrus
Appearance	Opaque Powder	Odor Threshold	No information available
Color	White		

<u>Property</u>	<u>Values</u>	<u>Remarks • Methods</u>
pH	13	
Melting/freezing point	No information available	

Boiling point/boiling range	N/A	not applicable
Flash Point	NA	
Evaporation rate	N/A	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper flammability limit	No information available	
Lower flammability limit	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific Gravity	N/A	
Water solubility	No information available	
Solubility in other solvents	No information available	
Partition coefficient: n-octanol/water	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Viscosity, kinematic	No information available	
Viscosity, dynamic	No information available	
Explosive properties	No information available	
Oxidizing Properties	No information available	

Other information

Softening point	N/A
Molecular Weight	N/A
VOC Content(%)	Negligible
Density VALUE	N/A
Bulk Density VALUE	N/A

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions. Some decomposition when heated.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep away from children.

Incompatible Materials

Strong acids. Strong reducing agents. Combustible materials.

Hazardous Decomposition Products

Oxygen, which increases the risk of fire.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Causes severe skin burns and eye damage
Inhalation	Severe respiratory irritant.
Eye contact	Severely irritating to eyes. May cause burns.
Skin contact	Contact causes severe skin irritation and possible burns.
Ingestion	Corrosive - causes severe burns to gastrointestinal tract. Ingestion may cause rapid evolution of gas and thus distention of esophagus or stomach.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
---------------	-----------	-------------	-----------------

Sodium carbonate 497-19-8	= 4090 mg/kg (Rat)	-	= 2300 mg/m ³ (Rat) 2 h
Pentasodium triphosphate 7758-29-4	= 3100 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	-
Sodium metasilicate 6834-92-0	= 600 mg/kg (Rat)	-	-
Calcium silicate 1344-95-2	= 3400 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Mutagenic effects No information available.
Carcinogenicity There are no known carcinogenic chemicals in this product.
Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Chronic toxicity No information available.
Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 7.085% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated based on chapter 3.1 of the GHS document .
ATEmix (oral) 2265 mg/kg
ATEmix (dermal) 45446 mg/kg
ATEmix (inhalation-dust/mist) 2.5 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

23.335% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium carbonate 497-19-8	242: 120 h Nitzschia mg/L EC50	310 - 1220: 96 h Pimephales promelas mg/L LC50 static 300: 96 h Lepomis macrochirus mg/L LC50 static	265: 48 h Daphnia magna mg/L EC50
Pentasodium triphosphate 7758-29-4	-	1650: 48 h Leuciscus idus mg/L LC50	-
Sodium metasilicate 6834-92-0	-	210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50	216: 96 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium carbonate 497-19-8	Corrosive

14. TRANSPORT INFORMATION

DOT Not regulated
Proper shipping name Cleaning Compound, Not Regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS -
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no

Reactive Hazard

Yes

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Pentasodium triphosphate 7758-29-4	-	-	X
Calcium silicate 1344-95-2	X	-	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards 3	Flammability 0	Instability 1	Physical and chemical hazards COR OX
<u>HMIS</u>	Health hazard 3	Flammability 0	Physical Hazards 1	Personal protection X

Prepared By Cynamic Chemical
1472 Louis Bork Dr
Batavia, IL 60510

Issuing date 03-Jan-2012

Revision Date 06-Nov-2014

Revision Note
2

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet