



## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier**

**Product name** Cynamic General Spotter

**Other means of identification**

**Product Code** X003104  
**Document** 003104CG1-4/ 003104C1Q12

**Recommended use of the chemical and restrictions on use**

**Recommended use** General Purpose Spotter

**Details of the supplier of the safety data sheet**

**Distributor**

Cynamic Chemical  
1472 Louis Bork Drive  
Batavia, IL 60510

**Emergency telephone number**

**24 Hour Emergency Phone Number** INFOTRAC: 1-800-535-5053 (NORTH AMERICA)  
1-352-323-3500 (INTERNATIONAL)

**Company Phone Number** 630-761-8770

## 2. HAZARDS IDENTIFICATION

**Classification**


**OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2
-----------------------------------	------------

**Label elements**

**Emergency Overview**

<b>Warning</b>		
<b>Hazard Statements</b> Causes serious eye irritation		
		
<b>Appearance</b> Transparent	<b>Physical state</b> Liquid	<b>Odor</b> Floral

**Precautionary Statements - Prevention**

- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

- IF exposed or concerned: Get medical advice/attention

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

**Precautionary Statements - Storage**

Store in a well-ventilated place

**Precautionary Statements - Disposal**

Dispose of contents/container to approved disposal facility

**Hazards not otherwise classified (HNOC)****Other information**

Unknown Acute Toxicity 0.2% of the mixture consists of ingredient(s) of unknown toxicity

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Substance**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Isopropyl alcohol	67-63-0	1% - 5%	*
Dipropylene glycol monomethyl ether	34590-94-8	1% - 5%	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES****First aid measures for different exposure routes**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.
<b>Skin contact</b>	Remove any contaminated clothing and wash before re-use. Wash with water for 10-15 minutes.
<b>Inhalation</b>	If qualified give oxygen or artificial respiration as needed.
<b>Ingestion</b>	Do not induce vomiting unless directed by a physician. If conscious and alert, give two glasses of water. Seek medical attention immediately.
<b>Protection of First-aiders</b>	Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

**Most important symptoms/effects, acute and delayed**

**Main Symptoms** The most important known symptoms and effects are described in the labelling in section 2 and/or in section 11.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to physician** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Alcohol-resistant foam.

**Unsuitable Extinguishing Media** This product contains alcohols which will reduce the effectiveness of normal foam. Use alcohol-resistant foam instead.

### **Specific hazards arising from the chemical**

No information available.

### **Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation. Avoid contact with the skin and the eyes. Use personal protective equipment. Remove all sources of ignition.

### **Environmental precautions**

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information.

### **Methods and materials for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Contain spill. Mop up. Rinse residue with water.

## 7. HANDLING AND STORAGE

### **Precautions for safe handling**

**Advice on safe handling** Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Wash thoroughly after work using soap and water. Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Wear personal protective equipment. Ensure adequate ventilation.

### **Conditions for safe storage, including any incompatibilities**

**Technical measures/Storage conditions** Keep container in cool well-ventilated area. Keep container tightly closed. Store away from incompatible materials. Keep out of the reach of children.

**Incompatible products** Acids. Oxidizers

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

**Exposure Guidelines** Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm

67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>
Dipropylene glycol monomethyl ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>

NIOSH IDLH: Immediately Dangerous to Life or Health

**Appropriate engineering controls**

**Engineering Measures** Ensure adequate ventilation, especially in confined areas  
**Individual protection measures, such as personal protective equipment**

- Eye/Face Protection** Safety glasses with side-shields.
- Skin and body protection** Rubber gloves.
- Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** Do not eat, drink or smoke when using this product. Practice good personal hygiene. Wash after handling.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical and chemical properties

<b>Physical state</b>	Liquid	<b>Odor</b>	Floral
<b>Appearance</b>	Transparent	<b>Odor Threshold</b>	No information available
<b>Color</b>	Clear Liquid		
<b>Property</b>	<b>Values</b>	<b>Remarks • Methods</b>	
<b>pH</b>	8.0 +/- 0.5		
<b>Melting/freezing point</b>	No information available		
<b>Boiling point/boiling range</b>	100 °C / 212 °F	Estimated	
<b>Flash Point</b>	> 59 °C / > 138 °F	TCC	
<b>Evaporation rate</b>	About the same as water	Similar to water	
<b>Flammability (solid, gas)</b>	No information available		
<b>Flammability Limits in Air</b>			
<b>Upper flammability limit</b>	No information available		
<b>Lower flammability limit</b>	No information available		
<b>Vapor pressure</b>	NE		
<b>Vapor density</b>	NE		
<b>Relative density</b>	0.998 +/- 0.005		
<b>Water solubility</b>	Completely soluble.	Completely soluble.	
<b>Solubility in other solvents</b>	No information available		
<b>Partition coefficient: n-octanol/water</b>	No information available		
<b>Autoignition temperature</b>	No information available		
<b>Decomposition temperature</b>	No information available		
<b>Viscosity, kinematic</b>	No information available		
<b>Viscosity, dynamic</b>	No information available		
<b>Explosive properties</b>	No information available		
<b>Oxidizing Properties</b>	No information available		
<b>Other information</b>			
<b>Softening point</b>	N/A		
<b>Molecular Weight</b>	N/A		

VOC Content(%) < 10 %  
 Density VALUE N/A  
 Bulk Density VALUE N/A

## 10. STABILITY AND REACTIVITY

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

### Conditions to Avoid

Heat, flames and sparks.

### Incompatible Materials

Acids. Oxidizers

### Hazardous Decomposition Products

On burning carbon monoxide and dioxide.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

<b>Product Information</b>	Causes serious eye irritation
<b>Inhalation</b>	Vapors may irritate throat and respiratory system. May cause central nervous system depression with nausea, headache, dizziness, and incoordination.
<b>Eye contact</b>	Severely irritating to eyes.
<b>Skin contact</b>	Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Isopropyl alcohol 67-63-0	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h
Dipropylene glycol monomethyl ether 34590-94-8	= 5230 mg/kg ( Rat )	= 9500 mg/kg ( Rabbit )	-

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

**Mutagenic effects** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0	-	Group 3	-	-

*IARC: (International Agency for Research on Cancer)*

*Group 3 - Not Classifiable as to Carcinogenicity in Humans*

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Chronic toxicity** No known effect based on information supplied.

**Target Organ Effects** Central nervous system.

**Aspiration hazard** No information available.

### Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 0.2% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

**Oral LD50** 46,015.00 mg/kg  
**Dermal LD50** 94,797.00 mg/kg  
**Mist** 208.33 mg/l

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

76.57% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Isopropyl alcohol 67-63-0	1000: 96 h Desmodemus subspicatus mg/L EC50 1000: 72 h Desmodemus subspicatus mg/L EC50	11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50 9640: 96 h Pimephales promelas mg/L LC50 flow-through	13299: 48 h Daphnia magna mg/L EC50
Dipropylene glycol monomethyl ether 34590-94-8	-	10000: 96 h Pimephales promelas mg/L LC50 static	-

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Isopropyl alcohol 67-63-0	0.05
Dipropylene glycol monomethyl ether 34590-94-8	-0.064

**Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment**

**Waste Disposal Methods**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging**

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol 67-63-0	Toxic Ignitable

**14. TRANSPORT INFORMATION**

**DOT**

**Proper shipping name**

Not regulated  
 Cleaning Compound, Not Regulated

**15. REGULATORY INFORMATION**

**International Inventories**

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	-
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies

**Legend:**

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	1.0

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	no
<b>Fire Hazard</b>	no
<b>Sudden Release of Pressure Hazard</b>	no
<b>Reactive Hazard</b>	no

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

**U.S. State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol 67-63-0	X	X	X
Dipropylene glycol monomethyl ether 34590-94-8	X	-	X

**16. OTHER INFORMATION**

<u>NFPA</u>	Health Hazards 1	Flammability 0	Instability 0	Physical and chemical hazards -
<u>HMIS</u>	Health hazard 1	Flammability 0	Physical hazards 0	Personal protection X

Prepared By  
Cynamic Chemical  
1472 Louis Bork Drive  
Batavia, IL 60510

Issue Date 12-Jan-2016

Issue Note

1

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**