

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Cynamic SQK

Other means of identification

Product Code X000256

UN/ID No UN3266

Document 000256CG1-4/ 000256CG5/ 000256CG55/ 000256C2L2

Recommended use of the chemical and restrictions on use

Recommended use Industrial Degreaser

Details of the supplier of the safety data sheet

Distributor
Cynamic Chemical
1472 Louis Bork Drive
Batavia, IL 60510

Emergency telephone number

24 Hour Emergency Phone Number INFOTRAC: 1-800-535-5053 (NORTH AMERICA)

Company Phone Number 1-352-323-3500 (INTERNATIONAL)
630-761-8770

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview

Danger

Hazard Statements

Causes severe skin burns and eye damage



Appearance Transparent

Physical state Liquid

Odor Glycol ether

Precautionary Statements - Prevention

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

- Immediately call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Immediately call a POISON CENTER or doctor/physician
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)**Other information**

- May be harmful if swallowed
 - Harmful to aquatic life with long lasting effects
- Unknown Acute Toxicity 9.612% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
2-Butoxyethanol	111-76-2	12% - 18%	*
Sodium hydroxide	1310-73-2	3% - 7%	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice	Show this safety data sheet to the doctor in attendance.
Eye contact	Immediately flush eyes with large amounts of water for 15 minutes or until irritation subsides. Call for prompt medical attention.
Skin contact	Remove contaminated clothing (including shoes) and wash before reuse. Flush with large amounts of water. Use soap if available. Seek medical attention.
Inhalation	Move to fresh air in case of accidental inhalation of vapors. If victim has stopped breathing, give artificial respiration. Call for prompt medical attention.
Ingestion	Do not induce vomiting unless directed by a physician. If conscious and alert, give two glasses of water. Seek medical attention immediately.

Protection of First-aiders Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2 and/or in section 11.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media This product contains alcohols which will reduce the effectiveness of normal foam. Use alcohol-resistant foam instead.

Specific hazards arising from the chemical

Corrosive or strongly alkaline liquid. Concentrate product solution in contact with aluminum releases hydrogen gas.

Hazardous Combustion Products Ammonia. Carbon monoxide. Nitrogen oxides (NOx).

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Use personal protective equipment. Ensure adequate ventilation.

Other information Common Weak Acids suitable for neutralizing caustic alkalis: acetic acid, citric acid, lemon juice, tartaric acid, vinegar.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Neutralization is normally necessary before waste water is discharged into water treatment plants. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Contain spill. Neutralize with mild acid solution. Flush residue with large volumes of water.

Methods for cleaning up Mop up & flush neutralized material to sewer with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling**Advice on safe handling**

Do not eat, drink or smoke when using this product. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Wash thoroughly after work using soap and water.

Conditions for safe storage, including any incompatibilities**Technical measures/Storage conditions**

Keep container in cool well-ventilated area. Keep container tightly closed. Store away from incompatible materials. Keep out of the reach of children.

Incompatible products

Strong oxidizing agents, acids, aluminum and other soft metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters**Exposure Guidelines**

Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
Sodium hydroxide 1310-73-2	-	TWA: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Appropriate engineering controls**Engineering Measures**

Ensure that eyewash stations and safety showers or an equivalent method of decontamination are close to the work location. Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment**Eye/Face Protection**

Splash-proof chemical goggles or face shield.

Skin and body protection

Impervious rubber, alkali-proof protective gloves. Impervious rubber boots & apron..

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures

Do not eat, drink or smoke when using this product. Practice good personal hygiene. Wash after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties**Physical state**

Liquid

Appearance

Transparent

Color

Purple

Odor

Glycol ether

Odor Threshold

No information available

Property**Values****Remarks • Methods****pH**

13.9

± 0.5

Melting/freezing point

NA

Boiling point/boiling range

> 100 °C / 212 °F

Estimated

Flash Point

> 93 °C > 200 °F

TCC

Evaporation rate

<1

Flammability (solid, gas)

No information available

Flammability Limits in Air**Upper flammability limit**

No information available

Lower flammability limit	No information available	
Vapor pressure	NA	
Vapor density	NIF	
Specific Gravity	1.054 ± 0.005	
Water solubility	Completely Soluble	Completely soluble.
Solubility in other solvents	No information available	
Partition coefficient: n-octanol/water	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Viscosity, kinematic	No information available	
Viscosity, dynamic	No information available	
Explosive properties	No information available	
Oxidizing Properties	No information available	

Other information

Softening point	N/A
Molecular Weight	N/A
VOC Content(%)	< 20%
Density VALUE	N/A
Bulk Density VALUE	N/A

10. STABILITY AND REACTIVITY**Chemical stability**

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

Strong oxidizing agents, acids, aluminum and other soft metals.

Hazardous Decomposition Products

Hydrogen gas in contact with some metals.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Product Information	Causes severe skin burns and eye damage
Inhalation	Inhalation may cause severe respiratory irritation and pulmonary edema.
Eye contact	Corrosive to the eyes and may cause severe damage including blindness.
Skin contact	Contact causes severe skin irritation and possible burns.
Ingestion	Severe irritation of the gastrointestinal tract, causing vomiting, nausea and burns.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Sodium hydroxide 1310-73-2	140 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Mutagenic effects No information available.
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3	-	-

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Chronic toxicity Prolonged or repeated skin contact may cause dermatitis.
Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 9.612% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2724 mg/kg
ATEmix (dermal) 5767 mg/kg
ATEmix (inhalation-dust/mist) 10 mg/l
ATEmix (inhalation-vapor) 3000 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

14.412% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-Butoxyethanol 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1698 - 1940: 24 h Daphnia magna mg/L EC50 >1000: 48 h Daphnia magna mg/L EC50
Sodium hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	-

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
2-Butoxyethanol 111-76-2	0.81

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic Corrosive

14. TRANSPORT INFORMATION

Note	Ltd Qty - Liquids - 38.4 OZ or Less/ Solids 2.2 lbs or less
DOT	Regulated
UN/ID No	UN3266
Proper shipping name	Corrosive Liquid, Basic, Inorganic, n.o.s. (Sodium Hydroxide)
Hazard class	8
Packing Group	II
Emergency Response Guide Number	154

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	-
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	Yes

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hydroxide 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA	Health Hazards 3	Flammability 0	Instability 1	Physical and chemical hazards COR
HMIS	Health hazard 3	Flammability 0	Physical Hazards 1	Personal protection X

Prepared By
 Dynamic Chemical
 1472 Louis Bork Drive
 Batavia, IL 60510

Issue Date 06-Jan-2016

Issue Note

1

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet