



SAFETY DATA SHEET

Issue Date 30-Jan-2016

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Cynamic Supersonic

Other means of identification

Product Code X001086
Document 001086C1Q12/ 001086CG1-4

Recommended use of the chemical and restrictions on use

Recommended use Spray Buff Compound.

Details of the supplier of the safety data sheet

Distributor

Cynamic Chemical
1472 Louis Bork Drive
Batavia, IL 60510

Emergency telephone number

24 Hour Emergency Phone Number INFOTRAC: 1-800-535-5053 (NORTH AMERICA)

Company Phone Number 1-352-323-3500 (INTERNATIONAL)
630-761-8770

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 3
Serious eye damage/eye irritation	Category 2B
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable liquids	Category 3

Label elements

Emergency Overview

Danger

Hazard Statements

Causes mild skin irritation
Causes eye irritation
May cause respiratory irritation. May cause drowsiness or dizziness
May be fatal if swallowed and enters airways
Flammable liquid and vapor



Appearance Opaque

Physical state Liquid

Odor Almond

Precautionary Statements - Prevention

- Wash face, hands and any exposed skin thoroughly after handling
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Keep away from heat/sparks/open flames/hot surfaces. — No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ventilating/lighting/equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Wear protective gloves/protective clothing/eye protection/face protection
- Keep cool

Precautionary Statements - Response

- IF exposed or concerned: Get medical advice/attention

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention

- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell

- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

- Harmful to aquatic life with long lasting effects
 - Harmful to aquatic life
- Unknown Acute Toxicity 3.5205% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Petroleum distillates, hydrotreated light	64742-47-8	10% - 30%	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice	Show this safety data sheet to the doctor in attendance.
Eye contact	Flush with water for 10-15 minutes.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	If qualified give oxygen or artificial respiration as needed.
Ingestion	DO NOT induce vomiting. Give large amounts of water if victim is conscious. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Protection of First-aiders	Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important symptoms/effects, acute and delayed

Main Symptoms	The most important known symptoms and effects are described in the labelling in section 2 and/or in section 11.
----------------------	---

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO₂). Water Fog.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Hazardous Combustion Products Carbon monoxide. Nitrogen oxides (NO_x).

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes and clothing. Use personal protective equipment. Ensure adequate ventilation.
-----------------------------	---

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain spill. Mop up. Rinse residue with water. Dispose of in a manner approved by local, state, and federal regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Keep from freezing. KEEP OUT OF REACH OF CHILDREN. Wash thoroughly after handling. Keep away from open flames, hot surfaces and sources of ignition.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of the reach of children.

Incompatible products Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Review Section 3 & 4 for Exposure Guidelines.
NIOSH IDLH: Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas
Individual protection measures, such as personal protective equipment

Eye/Face Protection Splash-proof chemical goggles or face shield.

Skin and body protection Solvent-resistant apron and boots. Solvent-proof gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Do not eat, drink or smoke when using this product. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state	Liquid	Odor	Almond
Appearance	Opaque	Odor Threshold	No information available
Color	White		

<u>Property</u>	<u>Values</u>	<u>Remarks • Methods</u>
pH	8.0 +/- 0.5	
Melting/freezing point	No information available	
Boiling point/boiling range	100 °C 212 °F	
Flash Point	> 38 °C / > 100 °F	TCC

Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper flammability limit	No information available	
Lower flammability limit	No information available	
Vapor pressure	NE	
Vapor density	NE	
Specific Gravity	0.962 +/- 0.005	
Water solubility	Emulsifies	Practically insoluble
Solubility in other solvents	No information available	
Partition coefficient: n-octanol/water	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Viscosity, kinematic	No information available	
Viscosity, dynamic	No information available	
Explosive properties	No information available	
Oxidizing Properties	No information available	

Other information

Softening point	N/A
Molecular Weight	N/A
VOC Content(%)	< 30%
Density VALUE	N/A
Bulk Density VALUE	N/A

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

On burning carbon monoxide and dioxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Harmful if swallowed May be fatal if swallowed and enters airways
Inhalation	Vapors may irritate throat and respiratory system. Excessive inhalation may cause headache or dizziness.
Eye contact	May cause irritation.
Skin contact	Prolonged skin contact may defat the skin and produce dermatitis.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Petroleum products have to be classified as harmful due to the aspiration hazard when the viscosity is less than 7 mm ² /s at 40°C.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
---------------	-----------	-------------	-----------------

Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
---	----------------------	-------------------------	------------------------

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Mutagenic effects No information available.
Carcinogenicity There are no known carcinogenic chemicals in this product.
Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Chronic toxicity Repeated or prolonged overexposure to solvents may cause permanent damage to the nervous system.
Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 3.5205% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 18315 mg/kg
ATEmix (dermal) 14652 mg/kg
ATEmix (inhalation-gas) 5128 mg/l
ATEmix (inhalation-dust/mist) 38.1 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

4.1279% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated light 64742-47-8	-	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static	4720: 96 h Den-dronereides heteropoda mg/L LC50
Diethylene glycol monoethyl ether 111-90-0	-	10000: 96 h Lepomis macrochirus mg/L LC50 static 13400: 96 h Salmo gairdneri mg/L LC50 flow-through 19100 - 23900: 96 h Lepomis macrochirus mg/L LC50 flow-through 11400 - 15700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 11600 - 16700: 96 h Pimephales promelas mg/L LC50 flow-through	-
Tributoxyethyl phosphate 78-51-3	-	10.4 - 12.0: 96 h Pimephales promelas mg/L LC50 flow-through	-
Benzaldehyde 100-52-7	-	10.6 - 11.8: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 12.69: 96 h Oncorhynchus mykiss mg/L LC50 static 0.8 - 1.44: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.8 - 8.53: 96 h Pimephales promelas mg/L LC50 flow-through 7.5: 96 h Lepomis macrochirus mg/L LC50 static	-

Dibutyl phthalate 84-74-2	0.4: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 1.2: 72 h Desmodemus subspicatus mg/L EC50	1.24 - 5.3: 96 h Oncorhynchus mykiss mg/L LC50 static 1.38 - 1.74: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.42 - 1.28: 96 h Lepomis macrochirus mg/L LC50 static 0.31 - 5.45: 96 h Pimephales promelas mg/L LC50 static 1.24: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.71 - 1.2: 96 h Pimephales promelas mg/L LC50 flow-through	2.99: 48 h Daphnia magna mg/L EC50 Static 3.4: 48 h Daphnia magna mg/L EC50
------------------------------	---	--	---

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Dibutyl phthalate 84-74-2	U069	Included in waste stream: F039	-	U069

14. TRANSPORT INFORMATION

DOT

Proper shipping name

Not regulated
Cleaning Compound, Not Regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	Yes
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Dibutyl phthalate - 84-74-2	Developmental Female Reproductive Male Reproductive

U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards 2	Flammability 2	Instability 0	Physical and chemical hazards -
<u>HMIS</u>	Health hazard 2	Flammability 2	Physical Hazards 0	Personal protection X

Prepared By Cynamic Chemical
1472 Louis Bork Drive
Batavia, IL 60510

Issue Date 30-Jan-2016

Issue Note

1

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet