



## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier**

**Product name** Cynamic Ultra Gold

**Other means of identification**

**Product Code** X000423  
**UN/ID No** UN 3262  
**Document** 000423CP9-4

**Recommended use of the chemical and restrictions on use**

**Recommended use** Premium Solid Machine Detergent

**Details of the supplier of the safety data sheet**

**Distributor**

Cynamic Chemical  
 1472 Louis Bork Drive  
 Batavia, IL 60510

**Emergency telephone number**

**24 Hour Emergency Phone Number** INFOTRAC: 1-800-535-5053 (NORTH AMERICA)  
 1-352-323-3500 (INTERNATIONAL)

**Company Phone Number** 630-761-8770

## 2. HAZARDS IDENTIFICATION

**Classification**

**OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

**Label elements**

**Emergency Overview**

**Danger**

**Hazard Statements**  
 Causes severe skin burns and eye damage



**Appearance** Opaque Solid      **Physical state** Solid      **Odor** Neutral

**Precautionary Statements - Prevention**

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

- Immediately call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)****Other information**

- May be harmful in contact with skin
- Harmful to aquatic life

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Sodium hydroxide	1310-73-2	20% - 30%	*
Pentasodium triphosphate	7758-29-4	20% - 30%	*
Sodium carbonate	497-19-8	10% - 30%	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**First aid measures for different exposure routes**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Eye contact</b>	Immediately flush eye with plenty of cool, running water. Remove contact lenses if applicable, and continue flushing for at least 15 minutes, holding eyelids apart to ensure thorough rinsing of the entire eye. GET IMMEDIATE MEDICAL ATTENTION.
<b>Skin contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Call a physician immediately.
<b>Inhalation</b>	Remove to fresh air. If breathing has stopped, apply suitable artificial respiration. Get medical help.
<b>Ingestion</b>	DO NOT induce vomiting. Give large amounts of water if victim is conscious. Never give anything by mouth to an unconscious person. Get medical attention immediately.
<b>Protection of First-aiders</b>	Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

**Most important symptoms/effects, acute and delayed**

**Main Symptoms** The most important known symptoms and effects are described in the labelling in section 2 and/or in section 11.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** CAUTION: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

Flammable hydrogen gas will be liberated upon contact with various metals.

**Hazardous Combustion Products** Carbon monoxide may be formed during combustion. Phosphorus oxides.

**Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Wear protective gloves/clothing and eye/face protection.

**Other information** Common Weak Acids suitable for neutralizing caustic alkalis: acetic acid, citric acid, lemon juice, tartaric acid, vinegar.

**Environmental precautions**

**Environmental precautions** Keep out of waterways. Neutralization is normally necessary before waste water is discharged into water treatment plants. See Section 12 for additional Ecological Information.

**Methods and materials for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Sweep up. Transfer to appropriate waste container. Neutralize residue with mild acid and flush with water.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Advice on safe handling** Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Wash thoroughly after work using soap and water. Do not eat, drink or smoke when using this product. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

**Conditions for safe storage, including any incompatibilities**

**Technical measures/Storage conditions** Keep tightly closed in a dry and cool place. Store away from strong acids, aluminum, and other reactive metals. Keep out of the reach of children.

**Incompatible products** Aluminum, Tin, Zinc, and Acids.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters**

**Exposure Guidelines** Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	-	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>
Pentasodium triphosphate 7758-29-4	-	15mg/m <sup>3</sup>	-

NIOSH IDLH: *Immediately Dangerous to Life or Health*

**Appropriate engineering controls**

**Engineering Measures** Ensure adequate ventilation and that running water is available for washing eyes and skin  
**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Splash-proof chemical goggles or face shield.

**Skin and body protection** (Impervious rubber, alkali-proof protective gloves. Impervious rubber boots & apron..).

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Physical and chemical properties**

<b>Physical state</b>	Solid	<b>Odor</b>	Neutral
<b>Appearance</b>	Opaque Solid	<b>Odor Threshold</b>	No information available
<b>Color</b>	White Off-White		
<b>Property</b>	<b>Values</b>	<b>Remarks • Methods</b>	
<b>pH</b>	12.5 ± 0.5	@1%	
<b>Melting/freezing point</b>	No information available		
<b>Boiling point/boiling range</b>	N/A	not applicable	
<b>Flash Point</b>	No information available		
<b>Evaporation rate</b>	N/A	not applicable	
<b>Flammability (solid, gas)</b>	No information available		
<b>Flammability Limits in Air</b>			
<b>Upper flammability limit</b>	No information available		
<b>Lower flammability limit</b>	No information available		
<b>Vapor pressure</b>	No information available		
<b>Vapor density</b>	No information available		
<b>Relative density</b>	N/A		
<b>Water solubility</b>	Completely Soluble	Completely soluble.	
<b>Solubility in other solvents</b>	No information available		
<b>Partition coefficient: n-octanol/water</b>	No information available		
<b>Autoignition temperature</b>	No information available		

<b>Decomposition temperature</b>	No information available
<b>Viscosity, kinematic</b>	No information available
<b>Viscosity, dynamic</b>	No information available
<b>Explosive properties</b>	No information available
<b>Oxidizing Properties</b>	No information available

**Other information**

<b>Softening point</b>	N/A
<b>Molecular Weight</b>	N/A
<b>VOC Content(%)</b>	Negligible
<b>Density VALUE</b>	N/A
<b>Bulk Density VALUE</b>	N/A

## 10. STABILITY AND REACTIVITY

**Chemical stability**

Stable under recommended storage conditions. Hygroscopic.

**Possibility of hazardous reactions**

None under normal processing.

**Conditions to Avoid**

Extremes of temperature and direct sunlight.

**Incompatible Materials**

Aluminum, Tin, Zinc, and Acids.

**Hazardous Decomposition Products**

Hydrogen gas in contact with some metals.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

<b>Product Information</b>	Causes severe skin burns and eye damage
<b>Inhalation</b>	Inhalation of dust in high concentration may cause irritation of respiratory system. Corrosive by inhalation.
<b>Eye contact</b>	Corrosive to the eyes and may cause severe damage including blindness.
<b>Skin contact</b>	Corrosive. Causes burns.
<b>Ingestion</b>	Corrosive - causes severe burns to gastrointestinal tract.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Sodium hydroxide 1310-73-2	140 mg/kg (Rat)	= 1350 mg/kg ( Rabbit )	-
Pentasodium triphosphate 7758-29-4	= 3100 mg/kg ( Rat )	> 7940 mg/kg ( Rabbit )	-
Sodium carbonate 497-19-8	= 4090 mg/kg ( Rat )	-	= 2300 mg/m <sup>3</sup> ( Rat ) 2 h

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Sensitization</b>	No information available.
<b>Mutagenic effects</b>	No information available.
<b>Carcinogenicity</b>	There are no known carcinogenic chemicals in this product.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Chronic toxicity</b>	No information available.
<b>Aspiration hazard</b>	No information available.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document .

Oral LD50	7,499.00 mg/kg
Dermal LD50	4,615.00 mg/kg
Mist	5.75 mg/l

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

28.2% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-
Pentasodium triphosphate 7758-29-4	-	1650: 48 h Leuciscus idus mg/L LC50	-
Sodium carbonate 497-19-8	242: 120 h Nitzschia mg/L EC50	300: 96 h Lepomis macrochirus mg/L LC50 static 310 - 1220: 96 h Pimephales promelas mg/L LC50 static	265: 48 h Daphnia magna mg/L EC50

**Persistence and degradability**

No information available.

**Bioaccumulation**

Not likely to bioaccumulate.

**Mobility**

Will likely be mobile in the environment due to its water solubility.

**Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS****Waste treatment****Waste Disposal Methods**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging**

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic Corrosive
Sodium carbonate 497-19-8	Corrosive

**14. TRANSPORT INFORMATION****DOT**

UN/ID No	Regulated UN 3262
Proper shipping name	Corrosive Solid, Basic, Inorganic, n.o.s. (Sodium Hydroxide)
Hazard class	8
Packing Group	II
Emergency Response Guide	154

**Number**

**15. REGULATORY INFORMATION**

**International Inventories**

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	-
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies

**Legend:**

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	no
<b>Fire Hazard</b>	no
<b>Sudden Release of Pressure Hazard</b>	no
<b>Reactive Hazard</b>	Yes

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb	-	-	X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hydroxide 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

**U.S. State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	X	X	X
Pentasodium triphosphate 7758-29-4	-	-	X

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards 3</b>	<b>Flammability 0</b>	<b>Instability 1</b>	<b>Physical and chemical hazards COR</b>
<b>HMIS</b>	<b>Health hazard 3</b>	<b>Flammability 0</b>	<b>Physical hazards 1</b>	<b>Personal protection X</b>

**Prepared By** Cynamic Chemical  
1472 Louis Bork Drive  
Batavia, IL 60510

**Issue Date** 30-Jan-2016

**Issue Note**

1

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**